# New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of December 31, 2002 Morris County Residents

1.	Current HIV/AIDS Category	Adult/Adole Cases	escent * %		Pediat	ric * %		_	Tota ases 	:l % 
	AIDS-Any OI AIDS-CD4 Only HIV Only	# # 239	# # 42		# # 5	# # 63			131 201 244	23 35 42
	Total		100		8	100		_	576	100
2.	Current Age * Cases %	3. Race/E	th.	_	Adult/. Cases	%	Pedia Cases	%	Cases	:l % 
	<5 # # 5-12 # # 13-19 # # 20-29 17 3 30-39 180 31 40-49 233 40	White, Black, Hispan	Not Hisp Not Hisp ic Unknown	anic	#	# # 2	# # 0	# # # 0	332 144	58 25 15 2
4.	50+ 135 23 Unk. 0 0  Total 576 100 Patient Group		Δd	11]†/A0	dolescen	t Tran	smiss	ion M	odes **	
				% 		Female	s %		Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		149 92 14 27 108	38 24 4 7 28		0 57 0 52 65	0 33 0 30 37		14 14 1 7 17	26 29 26 4 29 14 3 3
	Total		390	100		174	100		56	
			Males	Peo %	diatric	Transm Female		n Mod	Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***		# #	 # #		0	100			.1 92 # #
	Total		6	100		 6	100		1	.2 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification based on current age at the end of December 2002.
- \*\* 4 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Morris County Residents

Total 825 100

Adult/Adolescent\*

				Adult/Adol	.escent*	P	ediatr:	ic*		Total
1.	Disease Ca	tegory	Case	es (%)	Deaths (%)	Cases (%	) 1	Deaths (%)	Cases (%)	Deaths (%)
	PCP Other OI w KS Alone No Disease	Listed	2	253 ( 31) 238 ( 29) 33 ( 4) 289 ( 36)	201 ( 79) 167 ( 70) 28 ( 85) 88 ( 30)	# 8 ( 6 0 ( #	0)	# # 6 ( 75) 0 ( .) # #	257 ( 31) 246 ( 30) 33 ( 4) 289 ( 35)	173 ( 70) 28 ( 85)
	Total		8	313 (100)	484 ( 60)	12 (10		9 ( 75)	825 (100)	493 ( 60 )
2.	Age *	Cases	%	3. Race/	Eth.	Adult/Adl* Cases %	Cas	diatric* ses %	Total Cases %	3
	Under 5	9	1	White	e, Not Hispanic	561 69		5 42	566	59
	5-12	#	0	Black	, Not Hispanic	164 20		5 42	169 2	20
	13-19	5	1	Hispa	· -	79 10		# #	81 1	10
	20-29	110	13	_	/Unknown	9 1		# #	9	1
	30-39	377	46		· 					
	40-49	231	28	Total	_	813 100		12 100	825 10	00
	Over 49	90	11							
	Unknown	#	#							

Pediatric\*

Total

. Patient Group	Ac	lult/Adol	escent Trans	mission M	Modes **	
Tuorone eroup	Males	8	Females		Total	%
Men sex with men (MSM)	266	43	0	0	266	33
Injection drug user (IDU)	196	31	84	45	280	34
MSM/IDU	23	4	0	0	23	3
Heterosexual contact	31	5	48	26	79	10
Risk not reported/other***	108	17	56	30	164	20
Total	624	100	188	100	812	100
		Pedia	tric Transmis	ssion Mod	des	
	Males	8	Females	%	Total	%
Parent at risk/has AIDS/HIV	6	86	6	100	12	92
Risk not reported/other***	#	#	#	#	#	#
Total	7	100	6	100	13	100

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of AIDS diagnosis.
- \*\* 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

### New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Morris County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Deaths	Case-Fatality Rate
Before 1985	12	12	100%
1985	12	12	100%
1986	28	25	89%
1987	46	44	96%
1988	47	44	94%
1989	43	39	91%
1990	42	34	81%
1991	42	38	90%
1992	63	54	86%
1993	109	84	77%
1994	87	44	51%
1995	70	24	34%
1996	63	12	19%
1997	47	10	21%
1998	24	5	21%
1999	26	#	#
2000	25	7	28%
2001	21	#	#
2002	18	#	#
Total	825	493	60%

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

## New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002 Morris County Residents

Adult/Adl\*

Pediatric\*

Total

54

17

100

								Adu	I C / .	AUI	E	carac	TIC		IUCAI	
1.	Age *	Cases	%	2.	Race/E	thnic	ity	Cas	es	%	Ca	ses	%	C	ases	%
	Under 5	#	#		White,	Not	Hispanic		#	#		#	#	_	141	54
	5-12	#	#		Black,	Not	Hispanic		#	#		#	#		67	26
	13-19	5	2		Hispan	ic			#	#		#	#		44	1
	20-29	45	17		Other/	Unkno	wn		11	4		0	0		11	4
	30-39	129	49											_		
	40-49	60	23		Total				255	100		8	100		263	100
	Over 49	16	6													
	Unknown	0	0													
	Total	263	100													
3.	Patient Gr	roup					Ad	ult/Ad	ole	scent	Trans	missi	on Mod	les **		
							Males	%		F	emales	%		Total	%	
	Men sex wi	ith men (M	ISM)				 57	33			0	0		 57	22	
	Injection	drug user	(IDU)				48	28			22	27		70	27	
	MSM/IDU						#	#			#	#		#	#	
	Heterosexu	al contac	:t				11	6			29	35		40	16	
	Risk not r	reported/c	ther**	*			#	#			#	#		#	#	
	Total						172	100			83	100		255	100	

M	Pediatric Transmission Modes Males % Females %					%
Parent at risk/has AIDS/HIV	#	#	#	#	8	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	8	100

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- \*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

# New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Morris County Residents

1.	Current H				Case	s	escent *	Ca	ase		%			Total ses	%	
	AIDS-Any (AIDS-CD4 (HIV Only	Only				# # 5				# # 8	# # 38		!		49 27 24	
	Total				106		100			1	100			088	100	
2.	Age *			3.	Race/E			Adult Cases	3	%	Ca	ediat ses	%		Cases	otal %
	Under 5 5-12 13-19 20-29	8 9 185	1 1 1 17		Hispan Other/	Not Not ic Unkn	Hispanic Hispanic own		99 27 # #	66 21 # #		9 # #	38 43 # #		707 236 125 20	22
	30-39 40-49 Over 49 Unknown	512 266 95 0	24 9 0		Total			106		100		21	100		1088	100
	Total	1088	100													
4.	Patient G	-					Ad Males	ult/Adol %	les		Trans			des ** Total	L %	
	Men sex wi Injection MSM/IDU Heterosexu Risk not n	drug user ual contac reported/o	SM) (IDU) t ther***				160	41 31 3 5 20			106 0 77 88	0 39 0 28 32		248	3 30 3 33 7 3 9 11 8 23	
	Total						796	100		-	271			1065		
							Males	%	atr	F	ransmi emales	8	Mode:	Total		
	Parent at Risk not		AIDS/HI ther***				10 #	91 #			10	100		2( ‡	95 # #	

11 100 10 100 21 100

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.

Total

- \*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Morris County Residents

5.  ${\tt HIV/AIDS}$  Cases by Year of First  ${\tt HIV/AIDS}$  Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	15	15	100%
1985	21	17	81%
1986	38	31	82%
1987	63	53	84%
1988	62	55	89%
1989	64	49	77%
1990	71	51	72%
1991	75	49	65%
1992	85	44	52%
1993	115	67	58%
1994	83	30	36%
1995	68	14	21%
1996	71	9	13%
1997	61	10	16%
1998	45	6	13%
1999	50	#	#
2000	47	7	15%
2001	34	#	#
2002	20	#	#
Total	1088	512	47%

NOTE: Includes only those persons known to be infected with HIV.

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.